




ULT Freezer Power Cord Reference Guide

2023

Stirling Ultracold Power Cords



TYPE	Type B	North American Power Cord	DC Power
STIRLING ULTRACOLD PART NUMBER	SU-018500	SU-019000	ULT25-6D0000
COUNTRY	North America and Japan	North America	Universal
VOLTAGE	100V-120V*	208V-240V*	12V*
CURRENT	15A**	15A**	14A**
ELECTRICAL RATING	NEMA 5-15P	NEMA 6-15P	Automobile auxiliary power outlet
IEC RATING	60320 C13	60320 C13	-
LENGTH: FT. (M)	10' (3.05 m)	9.8' (2.99 m)	10' (3.05 m)
APPLICATION	All Stirling Ultracold ULT Freezers	All Stirling Ultracold ULT Freezers	ULT25NEU

Notes:

* Nominal line (mains) voltage for the application. The rated voltage of the cord may be higher.

** Rated current for the cord assembly.

If the power cord you need is not included in this guide, please reach out to your sales representative.


Definitions:

NEMA - National Electrical Manufacturers Association set standards for companies producing electrical products, equipment, or wiring in industrial facilities.

CEE - Certification of Electrical Equipment

IEC - International Electrotechnical Commission prepares and published international standards for all electrical, electronic, and related technologies.

Stirling Ultracold Power Cords



TYPE	Twist Lock	Twist Lock	Twist Lock
STIRLING ULTRACOLD PART NUMBER	SU-018000-120TW	SU-018000-230TW	SU-018000-20PTW
COUNTRY	North America	North America	North America
VOLTAGE	100V-120V*	208V-240V*	208V-250V*
CURRENT	15A**	15A**	15A**
ELECTRICAL RATING	NEMA L5-20P	NEMA L6-15P	NEMA L6-20P
IEC RATING	60320 C13	60320 C13	60320 C13
LENGTH: FT. (M)	10' (3.05 m)	10' (3.05 m)	10' (3.05 m)
APPLICATION	All Stirling Ultracold ULT Freezers	All Stirling Ultracold ULT Freezers	All Stirling Ultracold ULT Freezers

Notes:

* Nominal line (mains) voltage for the application. The rated voltage of the cord may be higher.

** Rated current for the cord assembly.

If the power cord you need is not included in this guide, please reach out to your sales representative.


Definitions:

NEMA - National Electrical Manufacturers Association set standards for companies producing electrical products, equipment, or wiring in industrial facilities.

CEE - Certification of Electrical Equipment

IEC - International Electrotechnical Commission prepares and published international standards for all electrical, electronic, and related technologies. .

Stirling Ultracold Power Cords



TYPE	Type E & F	Type G	Type I
STIRLING ULTRACOLD PART NUMBER	SU-040000	SU-020000	SU-018000-AUS
COUNTRY	Europe and Korea	United Kingdom	Australia
VOLTAGE	220V-240V*	220V-240V*	220V-240V*
CURRENT	16A**	13A**	10A**
ELECTRICAL RATING	CEE 7/7	BS 1363	AS/NZS 3/12
IEC RATING	60320 C13	60320 C13	60320 C13
LENGTH: FT. (M)	8.2' (2.5 m)	6' (1.83 m)	6' (1.83 m)
APPLICATION	All Stirling Ultracold ULT Freezers	All Stirling Ultracold ULT Freezers	All Stirling Ultracold ULT Freezers

Notes:

* Nominal line (mains) voltage for the application. The rated voltage of the cord may be higher.

** Rated current for the cord assembly.

If the power cord you need is not included in this guide, please reach out to your sales representative.


Definitions:

NEMA - National Electrical Manufacturers Association set standards for companies producing electrical products, equipment, or wiring in industrial facilities.

CEE - Certification of Electrical Equipment

IEC - International Electrotechnical Commission prepares and published international standards for all electrical, electronic, and related technologies.

Stirling Ultracold Power Cords



TYPE	Type J	Type M	Type N
STIRLING ULTRACOLD PART NUMBER	SU-19600	SU-050000	SU-030000
COUNTRY	Switzerland	India and South Africa	Brazil
VOLTAGE	230V*	230V*	127V-220V*
CURRENT	10A**	15A**	10A**
ELECTRICAL RATING	SEU 1011	BS 546	NBR 14136
IEC RATING	60320 C13	60320 C13	60320 C13
LENGTH: FT. (M)	6' (1.83 m)	8.2' (2.5 m)	6' (1.83 m)
APPLICATION	All Stirling Ultracold ULT Freezers	All Stirling Ultracold ULT Freezers	All Stirling Ultracold ULT Freezers

Notes:

* Nominal line (mains) voltage for the application. The rated voltage of the cord may be higher.

** Rated current for the cord assembly.

If the power cord you need is not included in this guide, please reach out to your sales representative.

Definitions:

NEMA - National Electrical Manufacturers Association set standards for companies producing electrical products, equipment, or wiring in industrial facilities.

CEE - Certification of Electrical Equipment

IEC - International Electrotechnical Commission prepares and published international standards for all electrical, electronic, and related technologies.



Stirling Ultracold
6000 Poston Road
Athens, Ohio 45701, USA
T +1.740.274.7900 / 855.274.7900
F +1.740.274.7901
E info@stirlingultracold.com

[BioLifeSolutions.com](https://www.BioLifeSolutions.com)

2023© Stirling Ultracold, a part of BioLife Solutions.
All rights reserved.

Global Cooling technology is manufactured under U.S. and International patents. Stirling Ultracold is a trademark of Global Cooling, Inc. Specifications subject to change without notice.

Storage Solutions

SS-ULT-230493_R01